

Self-Measurement Guide

Dear Client,

If you would like to take your own measurements and order your Santi drysuit through a local dealer, it is essential to follow our rules very strict to avoid any potential mistakes in measuring. After you have your measurements taken, please go through them at least twice to see if there are no missing or incorrectly stated numbers.

- Never take your own measurements yourself they should be taken by another person to make sure all measurements are tight and on correct levels. Ask a member of family or a friend to help you. Stand straight and do not bend over while you are being measured.
- While being measured, stand straight, do not bend in any direction.
- It is important to take the measurements only wearing underwear, close to the body.
- Follow the instruction point by point as the measurements taken incorrectly may influence the final fit of the drysuit or undersuit, especially when you order a made to measure product.
- Use only a tailor measurement tape that has centimeters scale!
- Don't leave any additional measurement allowance measure as close to the body as possible.
- Use Santi measurement chart to make sure all measurements are completed.
- Watch Santi video for general instruction, but follow this written guideline thoroughly step by step.

Following instruction leads you through the measurement proces also shown in our movie step by step.

- 1. Measure the head approximately 1 cm above the eyebrows to choose the correct hood size
- 2. Moving down, measure the neck above the t-shirt line, under the Adam's apple et the end of the neck.
- 3. Measure the chest in two steps: first measure the chest in rest and then after breathing in the air. Normally the difference should be around 3-5 cm. Make sure the tape does not fall down below the shoulder blades in the back. The measurement should include the butterfly muscles as well.
- 4. When measuring a woman, take the bust height measurement in the central point starting from the soft neck area, where the neck ends to the bust line in the fullest point.
- 5. The woman chest area should be measured in the fullest point of the bust, while wearing a bra preferably.
- 6. Measure the waist area on the belly button level.
- 7. If a client has a bigger belly, remember to measure the waist line in the widest point on the belly button line.
- 8. To measure the lady's waist line correctly, use any kind of marker belt and fasten it around the waist line. The female waist line is the narrowest point, which the measured person should appoint by fastening the marker belt by herself. Leave the marker also for 9 and 10 measurement.
- 9. Measure the lady's back height centrally from the neck spine bone to the waist line marked with the belt
- 10. Measure the lady's side trunk length from the armhole to the waist line.
- 11. Take the biceps measurement in the widest point on the loose arm. Make a special note if the client has a visibly athletic figure. In such cast it is advised to measure the biceps also with bend elbow. Ask the measured person to bend and reach with the arm as if reaching to the tank valves. Measure the biceps in such position.
- 12. Measure the forearm in the widest point. Ask the measured person to bend and reach with the arm as if reaching to the tank valves. Measure the forearm in such position.
- 13. Measure the wrist between the palm and the wrist bone
- 14. Measure the inside arm length by asking the measured person to hold one end of the measurement tape in the armhole and take the arm measurement to the wrist. You can use any cardboard or stiff paper sheet and ask the measured person to mark the end of the armpit by putting this under the arm, so that the tape would not go too deep into the armpit.
- 15. Measure the back shoulders length from one top arm bone to another layering the tape according to the curve of the shoulders.
- 16. Measure the total arm length from the back neck spine bone to the wrist while the arm is fully stretched.
- 17. Measure the hips in the fullest point of the buttocks. In case of women it is essential to check if the point below the buttocks at the thigh area is not wider. It is easy to verify by making a loop from the tape and move it up and down to see if the thighs fit into the loop. This is to allow smooth donning of the suit later through the thighs area.
- 18. Measure the thigh in the widest point approximately 5 cm from the crotch area. The person with athletic figure should have the thigh measured in slight squat, to strain the muscles.
- 19. To measure the inner leg, hold one end of the measurement tape in the convenient place in the crotch and measure to the heel end, to the floor. During this measurement determine also the knee positioning and give also measurement (point 26 in numbers sheet). Do not put the tape very deep into the crotch area (same as in case of the inner arm instruction). The measurement needs to be taken without shoes on.
- 20. Calf measurement is taken in 3 places: first measure the calf in the widest point,
- 21. Next, measure the height 20 cm from the floor and take the measurement on this level,
- 22. Next, measure the height from the widest point of the calf to the floor.
- 23. Measure the ankle on the ankle bone



Self-Measurement Guide

- 24. To measure the body trunk, standing straight, hold one end of the tape on the central point of the neck end and lead the tape across the crotch to the back. Mark the place where tape ends and measure the rest of the line to the spine neck bone. Make sure the tape is lead close to the body including all the curves of the body
- 25. Place the measurement tape on the floor and step on it to determine the length of your foot. Give the measurement in centimeters. This measurement allows to choose the best boots size. Do not put information of your boots size you normally wear, as this might differ depending on the shoe type.

Make sure you have taken all the measurements required by Santi measurement chart. Double-check all measurements for precaution!

Look up in the size chart for the best size from our size range or simply provide your measurements for a made to measure production of the suit.

Visit santidiving.com for the measurements instruction video: https://santidiving.com/getting-right-size,33,en



Men Drysuits & Undersuits Męskie Skafandry i Ocieplacze

SIZE	xs	s	SL	M	ML	MLL	LS	L	LL	LLL	XLS	XL	XLL	XXLS	XXL	XXXL
HEIGHT	162-166	168-172	174-178	172-176	176-180	182-186	172-176	180-184	184-188	190-194	174-178	184-188	192-196	176-182	190-194	192-196
CHEST	84-88	90-94	92-96	96-100	96-100	100-104	106-110	106-110	106-110	110-114	112-116	112-116	112-116	118-122	118-122	130-134
ARM	51	52	53	53	55	57	52	54	56	58	54	56	58	55	57	58
BICEP	28	29	30	32	32	33	35	35	36	37	38	37	38	40	40	42
FORE- ARM	26	27	27	28	29	29	30	29	30	30	31	30	30	31	31	32
WAIST	70-74	76-80	78-82	82-86	82-86	84-88	92-96	92-96	92-96	98-102	100-104	100-104	100-104	108-112	108-112	116-120
HIPS	84-88	90-94	92-96	96-100	96-100	100-104	106-110	106-110	106-110	110-114	112-116	112-116	112-116	118-122	118-122	130-134
INNER LEG	74	76	80	79	84	88	79	83	86	89	80	85	89	80	84	86
THIGH	50	52	52	55	55	55	62	60	61	61	65	65	65	68	68	72
CALF	34	36	38	39	40	40	43	41	42	42	44	44	44	46	46	47
BODY TRUNK	155	160	165	165	170	175	165	170	175	180	170	175	180	175	185	195

"SANTI 🚷 🗅	Piving Equipment	Drysu i Formularz zan	it Form			
Name Imię Surname Nazwisko Addres		City Miasto Postcode Kod Country		Com Firma Addi Adres	res	
Adres		Kraj Telephone telefon e-mail e-mail		EU\	/AT No.	
Notes Uwagi	⊗E.motion	⊚≡.Mo bon/	⊚E.lite +	E.LITE (S)	ENDURD	ESPACE
Kind Rodzaj	for men dla mężczyzn for women dla kobiet	for men dla mężczyzn for women dla kobiet	for men dla mężczyzn for women dla kobiet	for men dla mężczyzn for women dla kobiet	for men dla mężczyzn	for men dla mężczyzn
Size Rozmiar MTM	standard size regular luźny slim dopasowany	standard size regular luźny slim dopasowany	standard size regular luźny slim dopasowany	standard size regular luźny slim dopasowany	standard size regular luźny slim dopasowany	standard size regular luźny slim dopasowany
Colour Kolor	body trunk tors □ B □ G □ R □ BL	STANDARD	body trunk tors □ B □ BL □ G	body trunk tors	body top tors BR arms rękawy BR	body top tors B R BL arms rękawy B R BL
	side gores kliny B G GS piping lamówka	body trunk tors B R BL side gores kliny B R BL	side gores ∣ kliny □ B □ BL □ G	side gores kliny	side gores kliny B R trousers nogawki B R pocket flaps patki	side gores kliny B R BL trousers nogawki B R BL pocket flaps patki
B black czarny G gray szary S silver srebrny R red czerwony BL blue niebieski	OS OR OBL	☐ SILVER MOON			□B□R total pockets kieszenie □B□R	□B □R □BL total pockets kieszenie □B □R □BL
Zipper plastic plastik metal	lett right prawy	left right prawy	□ left □ right prawy □ left □ right lewy □ right prawy	left right prawy left right prawy left right prawy	left back lewy back left back lewy back	left bac
Knee pads none	yes: Kevlar	yes: Kevlar	yes: Kevlar	yes: Kevlar	yes: Melco	yes: Kevlar



Drysuit Form Formularz zamówień

Details Szczegóły

Hood Kaptur	none yes os om ol oxloxxl	pValve Halcyon pValve Halcyon	none yes left lewa right prawa
	□ 6mm stitched □ 2x5mm □ 6mm standard □ 6mm collar □ 6mm standard for full face mask □ 6mm collar for full face mask □ 9mm standard	Rings Pierścienie	none brak SANTI Smart Seals SANTI Smart Seals SITech SiTech Inormal Oval antares
Neck seal Kryza szyjna cn neck circu obwód szy	9mm collar neoprene neoprenowa neoprene + insulation		KUBI KUBI □80mm
	□ latex + insulation lateksowa + docieplenie	Wristseals Manszety cm	bottle HD silicone *only with rings silikonowe *tylko z pierścieniami
	silicone + quick neck		cone regular
		Boots Buty siz	standard Neoprene standardowe Neoprenowe
Embroidered patch with name Haft z imieniem	none brak on left pocket na lewej kieszeni stitched naszywka velcro rzep		Flex Sole Flex Sole Neoprene socks Skarpety neoprenowe + rockboots /option + rockbooty /opcja
	on right pocket na prawej kieszeni □ stitched naszywka □ velcro rzep		
Inflation valve Zawór dodawczy	Apeks SiTech]	
Exhaust valve Zawór upustowy	Apeks low profile Apeks niski profil Apeks high profile Apeks wysoki profil SiTech SiTech		